

Work Order ID 54623

Page 1

December 14, 2009 4:25:34 PM

Item ID: D350-567-111

Accept



Setup Start



Revision ID:

Stop



Item Name: Floor Window Installation, Extra Large

Start Date: 12/14/2009 Start Qty: 2.00



Cust Item ID:

Required Date: 12/15/2009 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: MF Date: 09-12-14 Tooling: _____

Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____

Date: _____

Stop



| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Draw Number | Draw Rev. | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|--------------------------------|--------------------------|----------------------|----------------|--------------|--------------|---------------|---------------|------------------|----------------|
| Draw Nbr | Revision Nbr | | | | | | | | |
| IIN-D350-567 | Rev D | | | | | | | | |

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels and DT8439 Template per PPP D350-567-111 CHG006

808/12/15

110

0.00



Packaging

Packaging

Memo

0.00

Packaging

Pick Packing Kit
ENSURE DT 8439 TEMPLATE IS INCLUDED

9/12/15 2X 3f

120

0.00



QC4- 100% Inspect kits for completeness

QC

Memo

0.00

Quality Control

27 808/12/15

(42) f

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 54623

December 14, 2009 4:25:34 PM

Page 2

Item ID: D350-567-111

Accept

Setup Start

Revision ID:

Stop

Item Name: Floor Window Installation, Extra Large

Start Date: 12/14/2009 Start Qty: 2.00

Cust Item ID:

Required Date: 12/15/2009 Req'd Qty: 2.00

Customer:



Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Draw Number | Draw Rev. | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|---|---|----------------------|----------------|--------------|--------------|---------------|---------------|------------------|-------------------------------|
| 130  | Packaging | 0.00 | | | | | | | |
| Packaging | Memo | 0.00 | | | | | | | |
| Packaging | Identify and pack for shipping as per PPP D350-567-111 Location: <u>83</u> | | | | | | | | |
| | | | | | | | | | 9/12/15 (20) SP |
| 140  | QC21- Final Inspection - Work Order Release | 0.00 | | | | | | | |
| QC | Memo | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | H. 09.12.15 MF 09-12-15 |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Picklist Print

Page 1

December 14, 2009 4:25:34 PM

Work Order ID: 54623



Parent Item: D350-567-111



Parent Item Name: Floor Window Installation, Extra Large




Start Date: 12/14/2009

Required Date: 12/15/2009

Comments:

Start Qty: 2.00

Required Qty: 2.00

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Remaining Qty To Pick | Qty Issued | Date Issued | Status |
|--|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|--------------------------|---------------|----------------|--------|
| f D350-567-113  Replacement Window, Extra Large | | Manufactured | No | | | 110 | Each | 0.0000 | 2.0000 | | | |
| S D350-567-115  Interior Floor Window | | Manufactured | No | | | 110 | Each | 0.0000 | 2.0000 | | | |
| S DT8439  template | | Manufactured | No | | | 110 | Each | 0.0000 | 2.0000 | | | |

153928 9/12/15 SP QY

54627 9/12/15 SP

9/12/15 SP

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

5.0 PARTS LIST

| Qty -015 | Qty -017 | Qty -025 | Qty -027 | Qty -111 | Qty -117 | Part Number | Description |
|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--|
| X | | | | | | D350-567-015 | FLOOR WINDOW INSTALLATION (SMALL) |
| | X | | | | | D350-567-017 | FLOOR WINDOW INSTALLATION (SMALL) |
| | | X | | | | D350-567-025 | FLOOR WINDOW INSTALLATION (LARGE) |
| | | | X | | | D350-567-027 | FLOOR WINDOW INSTALLATION (LARGE) |
| | | | | X | | D350-567-111 | FLOOR WINDOW INSTALLATION (EXTRA LARGE) |
| | | | | | X | D350-567-117 | FLOOR WINDOW INSTALLATION (EXTRA LARGE) |
| 1 | 1 | | | | | D350-567-013 | REPLACEMENT WINDOW KIT (SMALL) |
| | | 1 | 1 | | | D350-567-023 | REPLACEMENT WINDOW KIT (LARGE) |
| | | | | 1 | 1 | D350-567-113 | REPLACEMENT WINDOW KIT (EXTRA LARGE) |
| | 1 | | 1 | 1 | | D350-567-115 | INTERIOR FLOOR WINDOW KIT |
| 1 | | 1 | | | 1 | D350-567-031 | INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE) |

| Qty -013 | Qty -023 | Qty -113 | Qty -115 | Qty -031 | Part Number | Description |
|-------------|-------------|-------------|-------------|-------------|--------------|--|
| X | | | | | D350-567-013 | REPLACEMENT WINDOW KIT (SMALL) |
| | X | | | | D350-567-023 | REPLACEMENT WINDOW KIT (LARGE) |
| | | X | | | D350-567-113 | REPLACEMENT WINDOW KIT (EXTRA LARGE) |
| | | | X | | D350-567-115 | INTERIOR FLOOR WINDOW KIT |
| | | | | X | D350-567-031 | INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE) |
| 1 | | | | | D2125 | REPLACEMENT WINDOW, SMALL |
| | 1 | | | | D2942 | REPLACEMENT WINDOW, LARGE |
| | | 1 | | | D3290-041 | REPLACEMENT WINDOW ASSEMBLY, EXTRA LARGE |
| 1 | | | | | D2126-0600 | SEAL |
| | 1 | | | | D2463-0750 | NEOPRENE SEAL |
| | | 1 | | | D2463-0860 | NEOPRENE SEAL |
| | 9 | 12 | | | 2600-6 | 1/4 TURN FASTENER |
| | 9 | 12 | | | 2600-LW | WASHER |
| | 9 | 12 | | | 212-12 | RECEPTACLE |
| | 22 | 21 | | | AN526C832R9 | SCREW (OR AN526C832-9, OR MS51957-126) |
| | 44 | 42 | | | AN960JD8 | WASHER |
| | 22 | 21 | | | MS21042L08 | NUT (OR MS21042-08) |
| | 18 | 24 | | | MS20426AD3-5 | RIVET |
| 2 SQ. YD | 2 SQ. YD | 2 SQ. YD | | | N/A | 9.7oz 7781 'S' GLASS UNIVERSAL WEAVE |
| | | | | 1 | D2463-0450 | NEOPRENE SEAL |
| | | | | 1 | D3210-1 | DOUBLER |
| | | | | 1 | Q3211-1 | BRACKET |
| | | | | 1 | D3212-1 | FLOOR WINDOW |
| | | | | 1 | D3213-041 | DOOR ASSEMBLY |
| | | | 1 | | D3293-1 | DOUBLER |
| | | | 1 | | D3294-1 | BRACKET |
| | | | 1 | | D3295-041 | FLOOR WINDOW |
| | | | 1 | | D3296-041 | DOOR ASSEMBLY |
| | | | 1 | | D2463-0530 | NEOPRENE SEAL |
| | | | 9 | 8 | AN526C632R12 | SCREW (OR AN526C632-12, OR MS51957-32) |
| | | | 9 | 8 | AN960JD6 | WASHER |
| | | | 9 | 8 | MS21042L06 | NUT (OR MS21042-06) |
| | | | 2 | 40 | MS20470AD4-5 | RIVET |
| | | | 115 | 90 | MS20470AD4-6 | RIVET |
| | | | 15 | 20 | MS20470AD4-7 | RIVET |

• COPYRIGHT © 2000 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: D

Date: 08.07.08

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries